

*** 生活の安全と治安の維持に関する調査 ***
問 6-1 日本国内の各場所ではテロが起こる可能性について

		問6-1 (1) 空港										問6-1 (2) 駅														
TOTAL		ほとん どない	2	3	4	5	6	7	8	9	非 常 に 高 い	平 均 値	ほとん どない	2	3	4	5	6	7	8	9	非 常 に 高 い	平 均 値			
TOTAL		100.0	652	0.3	1.4	3.2	1.5	9.5	7.2	15.2	22.1	9.4	30.2	7.79	0.5	2.1	4.1	2.6	14.0	10.3	16.1	22.5	8.1	19.6	7.22	
*性別	男	100.0	331	0.3	1.5	4.8	2.1	9.4	8.2	15.7	21.8	9.1	27.2	7.60	0.6	3.3	5.4	2.1	16.3	9.1	17.8	23.6	6.3	12.8	6.92	
	女	100.0	321	0.3	1.2	1.6	0.9	9.7	6.2	14.6	22.4	9.7	33.3	7.99	0.3	0.9	2.8	3.1	11.5	11.5	14.3	21.5	10.0	24.0	7.52	
		100.0	132	-	0.8	6.1	-	9.1	7.6	25.8	20.5	7.6	22.7	7.50	-	2.3	6.8	3.8	9.1	10.6	16.7	23.5	6.1	21.2	7.20	
*年齢	20 ~ 29 歳	100.0	139	0.7	2.9	1.4	3.6	8.6	5.8	11.5	23.7	9.4	32.4	7.81	1.4	1.4	2.2	1.4	15.8	11.5	14.4	20.9	8.6	22.3	7.33	
	30 ~ 39 歳	100.0	151	-	1.3	2.0	-	6.0	8.6	15.2	25.2	9.3	32.5	8.06	0.7	1.3	3.3	2.0	11.3	7.3	23.2	23.2	7.3	20.5	7.40	
	40 ~ 49 歳	100.0	142	-	1.4	3.5	2.8	12.0	4.9	9.9	20.4	10.6	34.5	7.87	-	4.2	3.5	3.5	15.5	11.3	11.3	21.8	10.6	18.3	7.10	
	50 ~ 59 歳	100.0	88	1.1	-	3.4	1.1	13.6	10.2	13.6	19.3	10.2	27.3	7.60	-	1.1	5.7	2.3	20.5	11.4	13.6	23.9	8.0	13.6	6.93	
	60 ~ 69 歳	100.0	67	-	-	9.0	-	9.0	7.5	25.4	14.9	10.4	23.9	7.46	-	4.5	7.5	3.0	11.9	9.0	17.9	25.4	3.0	17.9	6.91	
*性別×年齢	男性 20 ~ 29 歳	100.0	76	1.3	3.9	1.3	5.3	7.9	7.9	14.5	21.1	5.3	31.6	7.54	2.6	1.3	3.9	-	17.1	10.5	17.1	22.4	6.6	18.4	7.08	
	男性 30 ~ 39 歳	100.0	80	-	-	2.5	-	6.3	10.0	17.5	28.8	12.5	22.5	7.89	-	1.3	5.0	1.3	13.8	6.3	25.0	23.8	8.9	15.0	7.23	
	男性 40 ~ 49 歳	100.0	67	-	3.0	7.5	3.0	13.4	4.5	4.5	22.4	7.5	34.3	7.55	-	7.5	7.5	3.0	17.9	9.0	10.4	22.4	7.5	14.9	6.61	
	男性 50 ~ 59 歳	100.0	41	-	-	4.9	2.4	12.2	12.2	17.1	19.5	9.8	22.0	7.41	-	2.4	2.4	4.9	24.4	12.2	17.1	24.4	4.9	7.3	6.59	
	男性 60 ~ 69 歳	100.0	65	-	1.5	3.1	-	9.2	7.7	26.2	26.2	4.6	21.5	7.54	-	-	-	6.2	4.6	6.2	12.3	15.4	21.5	9.2	24.6	7.51
	女性 20 ~ 29 歳	100.0	63	-	1.6	1.6	1.6	9.6	3.2	7.9	27.0	14.3	33.3	8.14	-	1.6	-	3.2	14.3	12.7	11.1	19.0	11.1	27.0	7.63	
	女性 30 ~ 39 歳	100.0	71	-	2.8	1.4	-	5.6	7.0	12.7	21.1	5.6	43.7	8.25	1.4	1.4	1.4	2.8	8.5	8.5	21.1	22.5	5.6	26.8	7.59	
	女性 40 ~ 49 歳	100.0	75	-	-	-	-	10.7	5.3	14.7	18.7	13.3	34.7	8.15	-	1.3	-	4.0	13.3	13.3	12.0	21.3	13.3	21.3	7.53	
	女性 50 ~ 59 歳	100.0	47	2.1	-	-	-	14.9	8.5	10.6	19.1	10.6	31.9	7.77	-	-	-	8.5	-	17.0	10.6	23.4	10.6	19.1	7.23	
	女性 60 ~ 69 歳	100.0	47	1.1	-	2.1	-	14.7	5.4	5.4	9.9	10.6	15.1	7.77	-	-	-	-	-	8.8	5.4	11.1	5.4	9.9	7.23	

*** 生活の安全と治安の維持に関する調査 ***
問6-1 日本国内の各場所でもテロが起こる可能性について

		問6-1 (3) 政府関係の建物										問6-1 (4) 原子力発電所									
TOTAL		ほとんではない	1	2	3	4	5	6	7	8	9	非常に高い	10	無回答	平均値						
*性別	性	100.0	0.9	1.1	4.4	3.1	11.2	9.4	12.1	25.0	11.0	21.8	7.43	19.0	0.3	6.74					
		652	6	29	20	73	61	79	163	72	142	19.0	6.74	19.0	0.3	6.74					
*性別	性	100.0	0.9	1.5	6.3	4.5	13.0	9.7	12.7	20.8	11.5	19.0	7.13	19.0	0.3	6.65					
		331	3	15	21	43	32	42	69	38	63	19.0	6.65	19.0	0.3	6.65					
*性別	性	100.0	0.9	0.6	2.5	1.6	9.3	9.0	11.5	23.3	10.6	24.6	7.73	19.0	0.3	6.83					
		321	3	2	8	5	30	29	37	94	34	79	7.73	19.0	0.3	6.83					
*年齢	20 ~ 29 歳	100.0	0.8	-	3.8	4.5	9.1	8.3	16.7	24.2	12.9	19.7	7.49	10.6	-	6.02					
		132	1	-	5	6	12	11	22	32	17	26	7.49	10.6	-	6.02					
	30 ~ 39 歳	100.0	1.4	0.7	5.8	1.4	15.8	7.2	11.5	23.0	11.5	21.6	7.32	21.6	-	6.81					
		139	2	1	8	2	22	10	16	32	16	30	7.32	21.6	-	6.81					
	40 ~ 49 歳	100.0	0.7	2.0	2.6	1.3	9.3	9.9	12.6	23.8	6.6	25.2	7.62	19.2	0.7	6.96					
		151	1	3	4	2	14	15	19	45	10	38	7.62	19.2	0.7	6.96					
*年齢	50 ~ 59 歳	100.0	-	2.1	4.9	4.2	9.2	9.9	8.5	24.6	11.3	25.4	7.52	23.9	-	7.11					
		142	-	3	7	6	13	14	12	35	16	36	7.52	23.9	-	7.11					
*年齢	60 ~ 69 歳	100.0	2.3	-	5.7	4.5	13.6	12.5	11.4	21.6	14.8	13.6	7.02	13.6	1.1	6.76					
		88	2	-	5	4	12	11	10	19	13	12	7.02	13.6	1.1	6.76					
*性別×年齢	男性	100.0	1.5	-	6.0	9.0	6.0	13.4	13.4	16.4	11.9	22.4	7.22	11.9	-	6.04					
		67	1	-	4	6	4	9	9	11	8	15	7.22	11.9	-	6.04					
	男性	100.0	1.3	-	9.2	1.3	21.1	6.6	13.2	18.4	11.8	17.1	6.96	25.0	-	6.80					
		76	1	-	7	1	16	5	10	14	9	13	6.96	25.0	-	6.80					
	男性	100.0	-	2.5	3.8	2.5	12.5	13.8	15.0	25.0	7.5	17.5	7.19	13.8	1.3	6.75					
		80	-	2	3	2	10	11	12	20	6	14	7.19	13.8	1.3	6.75					
	男性	100.0	-	4.5	6.0	4.5	13.4	7.5	10.4	19.4	10.4	23.9	7.18	6.0	23.9	6.87					
		67	-	3	4	3	9	5	7	13	7	16	7.18	6.0	23.9	6.87					
	男性	100.0	2.4	-	7.3	7.3	9.8	4.9	9.8	26.8	19.5	12.2	7.12	17.1	-	6.83					
		41	1	-	3	3	4	2	4	11	8	5	7.12	17.1	-	6.83					
	女性	100.0	-	-	1.5	-	12.3	3.1	20.0	32.3	13.8	16.9	7.77	9.2	-	5.98					
		65	-	-	1	-	8	2	13	21	9	11	7.77	9.2	-	5.98					
女性	100.0	1.6	1.6	1.6	1.6	9.5	7.9	9.5	28.6	11.1	27.0	7.76	17.5	-	6.81						
	63	1	1	1	1	6	5	6	18	7	17	7.76	17.5	-	6.81						
女性	100.0	1.4	1.4	1.4	1.4	-	5.6	5.6	9.9	35.2	5.6	33.8	8.10	-	7.18						
	71	1	1	1	1	-	4	4	7	25	4	24	8.10	-	7.18						
女性	100.0	-	-	4.0	4.0	5.3	12.0	6.7	23.3	12.0	26.7	7.83	24.0	-	7.33						
	75	-	-	3	3	4	3	5	22	9	20	7.83	24.0	-	7.33						
女性	100.0	2.1	-	4.3	2.1	17.0	19.1	12.8	17.0	10.6	14.9	6.94	17.0	2.1	6.70						
	47	1	-	2	1	8	9	6	8	5	7	6.94	17.0	2.1	6.70						

*** 生活の安全と治安の維持に関する調査 ***

問6-1 日本国内の各場所ですでテロが起こる可能性について

		問6-1 (7) ホテル・レストラン										問6-1 (8) 学校													
		TOTAL	ほとんどない	2	3	4	5	6	7	8	9	非常に高い	平均値	ほとんどない	2	3	4	5	6	7	8	9	非常に高い	無回答	平均値
*性別	TOTAL	100.0	4.8	5.8	12.1	8.3	23.9	14.3	11.2	11.3	3.5	4.8	5.40	12.6	10.0	19.9	9.5	21.8	9.8	5.8	6.0	1.4	3.1	0.2	4.31
	男	65.2	3.1	3.8	7.9	5.4	15.6	9.3	10.6	10.3	2.3	3.1	5.14	8.2	6.5	13.0	6.2	14.2	6.4	3.8	3.9	1.9	2.0	1	4.31
*年齢	女	34.8	16.7	24.3	20.2	14.6	12.4	11.3	11.2	11.3	4.7	6.5	5.66	14.5	11.2	23.6	10.3	18.7	9.1	5.7	4.5	1.2	1.2	-	3.96
	20～29歳	100.0	3.4	5.6	9.3	7.5	24.0	16.2	11.8	12.5	3.1	6.5	5.66	10.6	8.7	16.2	8.7	24.9	10.6	5.9	7.5	1.6	5.0	0.3	4.66
*性別×年齢	20～29歳	100.0	8.3	9.8	14.4	9.8	22.7	14.4	8.3	9.1	-	3.0	4.72	17.4	10.6	22.7	7.6	19.7	9.8	4.5	3.8	-	3.8	-	3.95
	30～39歳	100.0	10.1	13.1	19.1	13.3	30.1	19.1	13.7	7.9	2.2	4.3	5.06	23.1	14.3	30.1	10.6	26.1	13.3	6.5	5.9	-	3.8	-	3.95
*性別×年齢	40～49歳	100.0	2.0	5.3	8.6	8.6	23.8	15.9	13.2	13.9	2.6	6.0	5.75	8.6	5.3	21.9	10.6	22.5	12.6	7.9	7.3	1.3	2.0	-	4.61
	50～59歳	100.0	1.4	5.6	11.3	5.6	25.4	18.3	9.2	13.4	4.9	4.9	5.70	10.6	11.3	13.4	10.6	28.2	11.3	5.6	4.2	1.4	2.8	0.7	4.41
*性別×年齢	60～69歳	100.0	1.1	2.3	15.9	9.1	25.0	6.8	11.4	12.5	10.2	5.7	5.84	11.4	13.6	21.6	11.4	15.9	3.4	11.4	4.5	1.1	5.7	-	4.32
	70～79歳	100.0	7.5	4.5	17.9	11.9	32.8	9.0	4.5	7.5	-	4.5	4.72	20.9	9.0	25.4	9.0	14.9	9.0	7.5	3.0	-	1.5	-	3.70
*性別×年齢	80～89歳	100.0	14.5	5.3	15.8	5.3	21.1	9.2	14.5	9.2	2.6	2.6	4.79	19.7	11.8	23.7	7.9	15.8	11.8	-	7.9	1.3	-	-	3.71
	90～99歳	100.0	1.3	8.8	11.3	10.0	20.0	18.8	15.0	7.5	2.5	5.0	5.43	7.5	7.5	27.5	12.5	22.5	10.0	7.5	2.5	-	2.5	-	4.25
*性別×年齢	100～109歳	100.0	3.0	7.5	11.9	7.5	26.9	17.9	4.5	14.9	4.5	1.5	5.31	10.4	16.4	14.9	10.4	28.4	9.0	3.0	3.0	3.0	1.5	-	4.12
	110～119歳	100.0	2.4	2.4	19.5	12.2	17.1	2.4	14.6	14.6	14.6	-	5.66	14.6	12.2	26.8	12.2	7.3	2.4	14.6	7.3	2.4	-	-	4.02
*性別×年齢	120～129歳	100.0	9.2	15.4	10.8	7.7	12.3	20.0	12.3	10.8	-	1.5	4.72	13.8	12.3	20.0	6.2	24.6	10.8	1.5	4.6	-	6.2	-	4.20
	130～139歳	100.0	6.6	10.7	7.7	5.8	13.3	8.3	12.7	6.3	1.6	6.3	5.38	9.5	9.5	17.5	7.9	25.4	6.3	3.2	11.1	4.8	4.8	-	4.79
*性別×年齢	140～149歳	100.0	4.8	4.8	7.9	12.7	25.4	17.5	12.7	6.3	1.6	6.3	5.38	9.5	9.5	17.5	7.9	25.4	6.3	3.2	11.1	4.8	4.8	-	4.79
	150～159歳	100.0	2.8	1.4	5.6	7.0	28.2	12.7	11.3	21.1	2.8	7.0	6.11	9.9	2.8	15.5	8.5	22.5	15.5	8.5	12.7	2.8	1.4	-	5.01
*性別×年齢	160～169歳	100.0	2.2	1.1	4.4	4.4	20.9	20.9	15.5	15.5	2.2	7.0	6.11	10.7	6.7	12.0	10.7	28.0	13.3	8.0	5.3	-	4.0	1.3	4.68
	170～179歳	100.0	-	4.0	10.7	4.0	24.0	18.7	13.3	12.0	5.3	8.0	6.05	10.7	6.7	12.0	10.7	28.0	13.3	8.0	5.3	-	4.0	1.3	4.68
*性別×年齢	180～189歳	100.0	-	2.1	12.8	6.4	31.9	10.6	8.5	10.6	6.4	10.6	6.00	8.5	14.9	17.0	10.6	23.4	4.3	8.5	2.1	-	10.6	-	4.57
	190～199歳	100.0	-	1.1	4.4	4.4	20.9	20.9	15.5	15.5	2.2	7.0	6.11	10.7	6.7	12.0	10.7	28.0	13.3	8.0	5.3	-	4.0	1.3	4.68

*** 生活の安全と治安の維持に関する調査 ***
問 6 - 1 日本国内の各場所ですりが起こる可能性について

		問 6-1 (9) 病院										平 均 値
		T O T A L	ほ と と う な い	2	3	4	5	6	7	8	9	
TOTAL		100.0 632	16.6 108	10.9 71	22.5 147	9.2 60	21.0 137	7.7 50	4.4 29	4.9 32	0.8 5	2.0 13
*性別	性	100.0 331	20.2 67	12.7 42	24.8 82	8.8 29	18.1 60	6.6 22	3.9 13	3.0 10	0.6 2	1.2 4
	女	100.0 321	12.8 41	9.0 29	20.2 65	9.7 31	24.0 77	8.7 28	5.0 16	6.9 22	0.9 3	2.8 9
*年齢	20 ~ 29 歳	100.0 132	19.7 26	12.1 16	22.0 29	11.4 15	21.2 28	6.1 8	0.8 1	3.8 5	-	3.0 4
	30 ~ 39 歳	100.0 139	20.9 29	10.8 15	21.6 30	11.5 16	17.3 24	7.2 10	1.4 2	5.0 7	2.9 4	1.4 2
	40 ~ 49 歳	100.0 151	9.9 15	7.9 12	23.8 36	11.3 17	22.5 34	10.6 16	7.9 12	6.0 9	-	-
	50 ~ 59 歳	100.0 142	16.9 24	9.9 14	22.5 32	4.9 7	27.5 38	7.7 11	4.9 7	2.8 4	0.7 1	2.1 3
	60 ~ 69 歳	100.0 88	15.9 14	15.9 14	22.7 20	5.7 5	13.6 12	5.7 5	8.0 7	8.0 7	-	4.5 4
	70 歳以上	100.0 67	23.9 16	11.9 8	25.4 17	10.4 7	19.4 13	4.5 3	1.5 1	1.5 1	-	1.5 1
*性別×年齢	男性 20 ~ 29 歳	100.0 67	23.9 16	11.9 8	25.4 17	10.4 7	19.4 13	4.5 3	1.5 1	1.5 1	-	1.5 1
	男性 30 ~ 39 歳	100.0 76	28.9 22	13.2 10	18.4 14	11.8 9	13.2 10	9.2 7	-	1.3 1	2.6 2	1.3 1
	男性 40 ~ 49 歳	100.0 80	11.3 9	7.5 6	30.0 24	10.0 8	22.5 18	8.8 7	8.8 7	1.3 1	-	3.88
	男性 50 ~ 59 歳	100.0 67	16.4 11	13.4 9	28.4 19	4.5 3	23.9 16	4.5 3	1.5 1	6.0 4	-	1.5 1
	男性 60 ~ 69 歳	100.0 41	22.0 9	22.0 9	19.5 8	4.9 2	7.3 3	4.9 2	9.8 4	7.3 3	-	2.4 1
	女性 20 ~ 29 歳	100.0 65	15.4 10	12.3 8	18.5 12	12.3 8	23.1 15	7.7 5	-	6.2 4	-	4.6 3
	女性 30 ~ 39 歳	100.0 63	11.1 7	7.9 5	25.4 16	11.1 7	22.2 14	4.8 3	3.2 2	9.5 6	3.2 2	1.6 1
	女性 40 ~ 49 歳	100.0 71	8.5 6	8.5 6	16.9 12	12.7 9	22.5 16	12.7 9	7.0 5	11.3 8	-	-
	女性 50 ~ 59 歳	100.0 75	17.3 13	6.7 5	17.3 13	5.3 4	30.7 23	10.7 8	8.0 6	-	1.3 1	2.7 2
	女性 60 ~ 69 歳	100.0 47	10.6 5	10.6 5	25.5 12	6.4 3	19.1 9	6.4 3	6.4 3	8.5 4	-	6.4 3

*** 生活の安全と治安の維持に関する調査 ***
問 6-2 日本国内で各手段によるテロが起こる可能性について

		問6-2 (1) 爆発物											問6-2 (2) ハイジャック													
TOTAL		ほとんどない	2	3	4	5	6	7	8	9	非常に高い	平均値	ほとんどない	2	3	4	5	6	7	8	9	非常に高い	平均値			
TOTAL		100.0	0.5	0.8	1.7	2.3	7.7	8.3	14.6	24.5	11.0	28.5	0.2	7.88	0.5	2.3	4.4	3.8	15.0	10.7	13.8	21.2	10.1	18.1	7.11	
*性別	男性	652	0.6	1.2	1.8	3.0	8.8	9.1	14.2	24.8	8.5	27.8	0.3	7.73	0.3	3.6	6.3	4.8	14.8	11.5	12.4	22.1	9.1	15.1	6.85	
	女性	331	0.3	0.3	1.6	1.6	6.5	7.5	15.0	24.3	13.7	29.3	-	8.05	0.6	0.9	2.5	2.8	15.3	10.0	15.3	20.2	11.2	21.2	7.39	
TOTAL		321	1	1	5	5	21	24	48	78	44	94	-		2	3	8	9	49	32	49	65	36	68	7.30	
*年齢	20 ~ 29 歳	100.0	-	-	0.8	2.3	8.3	6.8	17.4	22.0	11.4	31.1	-	8.05	1.5	2.3	6.8	6.1	18.2	13.6	11.4	15.9	9.8	14.4	6.63	
	30 ~ 39 歳	132	0.7	1.4	-	2.2	7.2	11.5	10.8	30.2	10.8	24.5	0.7	7.82	-	2.9	5.8	0.7	13.7	17.3	12.9	19.4	13	19.7	7.09	
	40 ~ 49 歳	139	0.7	0.7	-	3	10	16	15	42	15	34	-	8.02	0.7	2.6	0.7	2.6	15.2	7.3	14.6	31.1	9.9	15.2	7.31	
	50 ~ 59 歳	151	-	-	2.4	6	9	11	23	43	14	45	-	7.86	-	2.1	3.5	7.0	9.9	8.5	12.7	20.4	12.7	23.2	7.42	
	60 ~ 69 歳	142	-	1	4	5	10	9	24	30	20	39	-	7.56	-	3	5	10	14	12	18	29	18	33	7.06	
	88	1.1	1.1	6.8	-	11.4	10.2	11.4	18.2	9.1	30.7	-		-	1	6	2	18	5	17	14	8	17			
*性別×年齢	男性 20 ~ 29 歳	100.0	-	-	1.5	3.0	9.0	6.0	17.9	20.9	9.0	32.8	-	7.99	1.5	3.0	9.0	4.5	9.0	14.9	13.4	16.4	9.0	19.4	6.87	
	男性 30 ~ 39 歳	67	1.3	2.6	-	3.9	7.9	7.9	11.8	28.9	5.3	28.9	1.3	7.71	-	3.9	7.9	1.3	10.5	15.8	9.2	25.0	10.5	15.8	7.01	
	男性 40 ~ 49 歳	76	-	-	-	3.8	6.3	11.3	15.0	27.5	10.0	25.0	-	7.81	-	5.0	1.3	3.8	18.8	7.5	13.8	33.8	7.5	8.8	6.89	
	男性 50 ~ 59 歳	80	-	1.3	-	3.8	6.3	5	12	22	8	20	-	7.81	-	4	1	3	15	6	11	27	5	7	6.88	
	男性 60 ~ 69 歳	67	-	1.5	3.0	3.0	9.0	10.4	17.9	20.9	10.4	23.9	-	7.57	-	3.0	4.5	10.4	14.9	13.4	10.4	13.4	10.4	19.4	6.85	
	女性 20 ~ 29 歳	41	2.4	-	7.3	-	14.6	9.8	4.9	24.4	7.3	29.3	-	7.44	-	2.4	12.2	4.9	24.4	2.4	17.1	17.1	7.3	12.2	6.41	
	女性 30 ~ 39 歳	66	-	-	-	1.5	7.7	7.7	16.9	23.1	13.8	29.2	-	8.11	1.5	1.5	4.6	7.7	27.7	12.3	9.2	15.4	10.8	9.2	6.38	
	女性 40 ~ 49 歳	63	-	-	-	-	6.3	15.9	9.5	31.7	17.5	19.0	-	7.95	-	1.6	3.2	-	17.5	19.0	17.5	12.7	6.3	22.2	7.17	
	女性 50 ~ 59 歳	71	1.4	-	-	1.4	5.6	2.8	15.5	29.6	8.5	35.2	-	8.25	1.4	-	-	1.4	11.3	7.0	15.5	28.2	12.7	22.5	7.79	
	女性 60 ~ 69 歳	75	-	-	2.7	4.0	5.3	2.7	16.0	21.3	17.3	30.7	-	8.12	-	1.3	2.7	4.0	5.3	4.0	14.7	26.7	14.7	26.7	7.92	
	47	-	-	2.1	6.4	-	8.5	10.6	17.0	12.8	10.6	31.9	-	7.66	-	-	2.1	-	-	17.0	8.5	21.3	14.9	10.6	25.5	7.62

*** 生活の安全と治安の維持に関する調査 ***

問6-2 日本国内で各手段によるテロが起こる可能性について

		TOTAL	問6-2 (3) 薬品 (サリンなど)										問6-2 (4) 細菌											
			ほとんどない	2	3	4	5	6	7	8	9	非常に高い	平均値	ほとんどない	2	3	4	5	6	7	8	9	非常に高い	平均値
TOTAL		100.0	1.1	1.7	5.1	3.2	10.7	10.6	15.5	23.3	9.5	19.3	7.23	2.5	3.7	7.7	6.4	13.3	11.2	16.4	17.2	6.7	14.9	6.54
*性別	性	682	0.6	2.7	6.3	3.3	11.8	11.8	15.4	23.0	8.2	16.9	7.02	3.9	3.9	10.3	5.7	14.2	10.6	15.4	16.3	4.8	14.8	6.30
	性	331	1.6	0.6	2.1	1.1	9.7	9.3	15.1	26.7	10.9	21.8	7.45	1.3	1.3	3.4	1.9	4.7	3.5	5.1	5.4	1.6	4.9	6.30
		321	5	2	12	10	31	30	50	76	35	70		0.9	3.4	5.0	7.2	12.5	11.8	17.4	18.1	8.7	15.0	6.79
		100.0	2.3	0.8	2.3	1.5	8.3	9.1	15.9	25.0	11.4	23.5	7.61	2.3	3.8	7.6	6.1	15.2	11.4	15.9	16.7	5.3	15.9	6.52
*年齢	20 ~ 29 歳	132	3	1	-	4.3	2.9	14.4	9.4	10.1	25.2	13.7	7.42	4.3	1.4	7.2	5.8	14.4	10.1	16.5	13.7	10.8	15.8	6.65
	30 ~ 39 歳	100.0	0.7	-	-	6	4	20	13	14	35	19	27	6	2	10	8	20	14	23	19	15	22	6.55
	40 ~ 49 歳	139	1	-	-	6	4	20	13	14	35	19	27	6	2	10	8	20	14	23	19	15	22	6.55
	50 ~ 59 歳	151	1	-	-	6	4	20	13	14	35	19	27	6	2	10	8	20	14	23	19	15	22	6.55
	60 ~ 69 歳	142	1	-	-	6	4	20	13	14	35	19	27	6	2	10	8	20	14	23	19	15	22	6.55
		88	1	2	10	5	11	10	11	15	6	17	6.72	3.4	6.8	17.0	5.7	9.1	8.0	10.2	19.3	8.0	12.5	6.07
		100.0	1.5	1.5	4.5	-	7.5	9.0	16.4	23.9	13.4	22.4	7.60	4.5	1.5	10.4	1.5	16.4	13.4	16.4	16.4	1.5	17.9	6.46
*性別×年齢	男性 20 ~ 29 歳	67	1	1	3	-	5	6	11	16	9	15	7.60	3	3	1	7	1	11	9	11	1	12	6.46
	男性 30 ~ 39 歳	100.0	1.3	-	-	6.6	3.9	13.2	10.5	10.5	23.7	6.6	7.25	7.9	2.6	10.5	1.3	11.8	6.6	15.8	13.2	10.5	19.7	6.57
	男性 40 ~ 49 歳	76	-	-	-	5	3	10	8	18	5	18	7.25	6	2	8	1	9	5	12	10	8	15	6.57
	男性 50 ~ 59 歳	80	-	-	-	5	3	10	8	18	5	18	7.25	1.3	3.8	2.5	17.5	16.3	10.0	15.0	22.5	2.5	8.8	6.23
	男性 60 ~ 69 歳	67	-	-	-	5	3	10	8	18	5	18	7.25	1.5	4.5	11.9	3.0	14.9	17.9	10.4	3.0	14.9	6.25	
	女性 20 ~ 29 歳	41	-	-	-	5	2	7	4	5	7	2	6.46	1	9.8	8	2	10	12	7	2	10	5.76	
	女性 30 ~ 39 歳	65	2	-	-	3.1	9.2	9.2	15.4	26.2	9.2	24.6	7.63	-	6.2	4.6	10.8	13.8	9.2	15.4	16.9	9.2	13.8	6.58
	女性 40 ~ 49 歳	71	1	1	1	1.6	15.9	7.9	9.5	27.0	14.3	7.63	-	-	-	3.2	11.1	17.5	14.3	17.5	14.3	11.1	11.1	6.75
	女性 50 ~ 59 歳	75	1	1	1	1.6	15.9	7.9	9.5	27.0	14.3	7.63	-	-	-	1.4	1.4	4.2	8.5	15.5	14.1	22.5	5.6	7.44
	女性 60 ~ 69 歳	47	1	-	-	10.6	6.4	8.5	12.8	12.8	17.0	8.5	21.3	6.94	1.4	1.4	1.4	4.2	8.5	15.5	14.1	22.5	5.6	7.44
		47	1	-	-	10.6	6.4	8.5	12.8	12.8	17.0	8.5	21.3	6.94	1.4	1.4	1.4	4.2	8.5	15.5	14.1	22.5	5.6	7.44

*** 生活の安全と治安の維持に関する調査 ***

問6-2 日本国内で各手段によるテロが起こる可能性について

		問6-2 (5) 人質をとって立てこもる											
TOTAL		ほとんではない											
		1	2	3	4	5	6	7	8	9	非常 高い	平 均 値	
*性別	TOTAL	100.0	1.2	1.5	4.0	3.4	11.7	8.3	12.7	21.0	12.3	23.9	7.45
	男	682	8	10	26	22	76	54	83	137	80	156	
	性	100.0	1.5	2.1	4.8	4.5	12.7	7.3	13.6	20.5	11.2	21.8	7.23
女	TOTAL	331	5	7	16	15	42	24	45	68	37	72	
	性	100.0	0.9	0.9	3.1	2.2	10.6	9.3	11.8	21.5	13.4	26.2	7.67
		321	3	3	10	7	34	30	38	69	43	84	
*年齢	20 ~ 29 歳	100.0	0.8	0.8	6.1	1.5	13.6	9.8	12.9	19.7	11.4	23.5	7.39
		132	1	1	8	2	18	13	17	26	15	31	
	30 ~ 39 歳	100.0	2.2	0.7	3.6	2.9	16.5	8.6	10.1	24.5	9.4	21.6	7.27
		139	3	1	5	4	23	12	14	34	13	30	
	40 ~ 49 歳	100.0	-	2.0	1.3	4.6	10.6	8.6	13.9	21.9	13.9	23.2	7.60
		151	-	3	2	7	16	13	21	33	21	35	
	50 ~ 59 歳	100.0	0.7	2.8	4.9	4.2	6.3	6.3	13.4	19.7	16.9	24.6	7.58
*性別×年齢		142	1	7	13	9	9	9	19	28	24	36	
	60 ~ 69 歳	100.0	3.4	1.1	4.5	3.4	11.4	8.0	13.6	18.2	8.0	28.4	7.34
		88	3	1	4	3	10	7	12	16	7	23	
	男性 20 ~ 29 歳	100.0	1.5	1.5	4.5	3.0	13.4	11.9	13.4	16.4	10.4	23.9	7.27
		67	1	1	3	2	9	8	9	11	7	16	
	男性 30 ~ 39 歳	100.0	3.9	1.3	5.3	1.3	21.1	9.2	10.5	18.4	7.9	21.1	6.91
		76	3	1	4	1	16	7	8	14	6	16	
男性 40 ~ 49 歳	100.0	-	2.5	2.5	8.8	7.5	6.3	16.3	26.3	11.3	18.8	7.35	
*性別×年齢		80	-	2	2	7	6	5	13	21	9	15	
	男性 50 ~ 59 歳	100.0	-	3.0	7.5	4.5	7.5	4.5	11.9	20.9	20.9	19.4	7.43
		67	-	2	5	3	5	3	8	14	14	13	
	男性 60 ~ 69 歳	100.0	2.4	2.4	4.9	4.9	14.6	2.4	17.1	19.5	2.4	29.3	7.20
		41	1	1	2	2	6	1	7	8	1	12	
	女性 20 ~ 29 歳	100.0	-	-	7.7	-	13.8	7.7	12.3	23.1	12.3	23.1	7.51
		65	-	-	5	-	9	5	8	15	8	15	
女性 30 ~ 39 歳	100.0	-	-	1.6	4.8	11.1	7.9	9.5	31.7	11.1	22.2	7.70	
*性別×年齢		63	-	-	1	3	7	5	6	20	7	14	
	女性 40 ~ 49 歳	100.0	-	1.4	-	-	14.1	11.3	11.3	16.9	16.9	28.2	7.89
		71	-	1	-	-	10	8	12	12	20	20	
	女性 50 ~ 59 歳	100.0	1.3	2.7	2.7	4.0	5.3	8.0	14.7	18.7	13.3	29.3	7.71
		75	1	2	2	3	4	6	11	14	10	22	
	女性 60 ~ 69 歳	100.0	4.3	-	4.3	2.1	8.5	12.8	10.6	17.0	12.8	27.7	7.47
		47	2	-	2	1	4	6	5	8	6	13	

		TOTAL	問7 テロ被害遭遇可能性					
			TOTAL	かなりある	少しある	あまりない	ほとんどない	無回答
*性別			100.0 652	4.1 27	50.6 330	36.0 235	9.0 59	0.2 1
	男	性	100.0 331	5.1 17	48.9 162	35.6 118	10.3 34	-
	女	性	100.0 321	3.1 10	52.3 168	36.4 117	7.8 25	0.3 1
*年齢	20 ～ 29 歳		100.0 132	3.8 5	50.0 66	35.6 47	9.8 13	0.8 1
	30 ～ 39 歳		100.0 139	4.3 6	54.7 76	31.7 44	9.4 13	-
	40 ～ 49 歳		100.0 151	4.6 7	52.3 79	35.1 53	7.9 12	-
	50 ～ 59 歳		100.0 142	5.6 8	46.5 66	38.0 54	9.9 14	-
	60 ～ 69 歳		100.0 88	1.1 1	48.9 43	42.0 37	8.0 7	-
*性別×年齢	男性	20 ～ 29 歳	100.0 67	6.0 4	52.2 35	32.8 22	9.0 6	-
	男性	30 ～ 39 歳	100.0 76	6.6 5	50.0 38	31.6 24	11.8 9	-
	男性	40 ～ 49 歳	100.0 80	3.8 3	56.3 45	32.5 26	7.5 6	-
	男性	50 ～ 59 歳	100.0 67	6.0 4	43.3 29	37.3 25	13.4 9	-
	男性	60 ～ 69 歳	100.0 41	2.4 1	36.6 15	51.2 21	9.8 4	-
	女性	20 ～ 29 歳	100.0 65	1.5 1	47.7 31	38.5 25	10.8 7	1.5 1
	女性	30 ～ 39 歳	100.0 63	1.6 1	60.3 38	31.7 20	6.3 4	-
	女性	40 ～ 49 歳	100.0 71	5.6 4	47.9 34	38.0 27	8.5 6	-
	女性	50 ～ 59 歳	100.0 75	5.3 4	49.3 37	38.7 29	6.7 5	-
	女性	60 ～ 69 歳	100.0 47	-	59.6 28	34.0 16	6.4 3	-

*** 生活の安全と治安の維持に関する調査 ***
問 8 項目別テロ防止対策必要度

T O T A L		(1) 車の検問でトランクを開ける					(2) 国内線に乗るとき手荷物を開ける					(3) 駅や街頭のゴミ箱を撤去する					(4) 身分証明書の提示を求める					(5) 街頭に監視カメラを設置する				
		是	非	必要	生方がない	必要でない	是	非	必要	生方がない	必要でない	是	非	必要	生方がない	必要でない	是	非	必要	生方がない	必要でない	是	非	必要	生方がない	必要でない
*性別	TOTAL	100.0	34.5	61.5	3.8	0.2	40.8	54.4	4.8	40.8	54.4	17.2	56.6	25.8	0.3	30.4	54.1	15.3	0.2	38.0	42.0	19.6	0.3	37.5	41.4	20.8
	男	652	225	401	25	0.3	266	355	31	42.0	52.9	112	369	168	0.3	198	363	100	1	248	274	128	2	37.5	41.4	20.8
*年齢	女	331	109	208	13	0.3	139	175	17	38.6	56.1	45	181	104	0.6	107	169	55	1	124	137	69	1	33.6	42.7	18.4
	性	321	116	193	12	1	127	180	14	36.4	55.3	67	188	64	2	91	184	45	1	124	137	59	1	33.6	42.7	18.4
*年齢	20 ~ 29 歳	100.0	28.8	61.4	9.1	0.8	36.4	55.3	8.3	36.4	55.3	13.6	46.2	38.6	1.5	36.4	50.0	13.6	1	34.8	41.7	22.7	0.8	34.8	41.7	22.7
		132	38	81	12	1	48	73	11	41.7	54.7	18	61	51	2	48	66	18	1	46	55	30	1	46	55	30
	30 ~ 39 歳	100.0	36.7	61.9	1.4	1	58	76	5	39.1	56.3	12.9	64.0	23.0	1	29.5	56.1	14.4	1	33.8	43.2	23.0	1	33.8	43.2	23.0
		139	51	86	2	2	58	76	5	39.1	56.3	18	89	32	1	41	78	20	1	47	60	32	1	47	60	32
	40 ~ 49 歳	100.0	30.5	66.9	2.6	4	59	85	4	47.9	47.9	15.9	60.3	23.2	0.7	33.8	53.6	12.6	1	35.1	44.4	20.5	1	35.1	44.4	20.5
		151	46	101	4	4	59	85	4	47.9	47.9	24	91	35	1	51	81	19	1	53	67	31	1	53	67	31
*性別×年齢	50 ~ 59 歳	100.0	40.8	54.9	4.2	1	68	68	6	37.5	60.2	28.2	48.6	23.2	1	25.4	53.5	21.1	1	46.5	34.5	19.0	1	46.5	34.5	19.0
		142	58	78	6	1	68	68	6	37.5	60.2	40	69	33	1	36	76	30	1	68	49	27	1	68	49	27
	60 ~ 69 歳	100.0	36.4	62.5	1.1	1	33	53	2	32.8	56.7	13.6	67.0	19.3	1	22	52	13	1	40.9	48.9	9.1	1	40.9	48.9	9.1
		88	32	55	1	1	33	53	2	32.8	56.7	12	59	17	1	22	52	13	1	36	43	8	1	36	43	8
	20 ~ 29 歳	100.0	31.3	58.2	9.0	1.5	32.8	56.7	10.4	32.8	56.7	17.9	41.8	40.3	1	37.3	46.3	16.4	1	35.8	43.3	20.9	1	35.8	43.3	20.9
		67	21	39	6	1	22	38	7	40.8	56.6	12	28	27	1	25	31	11	1	24	29	14	1	24	29	14
*性別×年齢	30 ~ 39 歳	100.0	39.5	60.5	1	1	31	49	2	37.5	57.5	11.8	61.8	26.3	1	34.2	48.7	17.1	1	38.2	34.2	27.6	1	38.2	34.2	27.6
		76	30	46	1	1	31	49	2	37.5	57.5	9	47	20	1	26	37	13	1	29	26	21	1	29	26	21
	40 ~ 49 歳	100.0	20.0	76.3	3.8	1	30	46	4	58.2	37.3	7.5	58.8	32.5	1.3	33.8	48.8	17.5	1	30.0	50.0	20.0	1	30.0	50.0	20.0
		80	16	61	3	1	30	46	4	58.2	37.3	6	47	26	1	27	39	14	1	24	40	16	1	24	40	16
	50 ~ 59 歳	100.0	38.8	56.7	4.5	1	39	25	3	32.8	56.7	22.4	47.8	29.9	1	26.9	53.7	19.4	1	41.8	37.3	20.9	1	41.8	37.3	20.9
		67	26	38	3	1	39	25	3	32.8	56.7	15	32	20	1	18	36	13	1	28	25	14	1	28	25	14
*性別×年齢	60 ~ 69 歳	100.0	39.0	58.5	2.4	1	41.5	56.1	2.4	41.5	56.1	7.3	65.9	26.8	1	26.8	63.4	9.8	1	45.3	41.5	9.8	1	45.3	41.5	9.8
		41	16	24	1	1	17	23	1	40.0	53.8	9	27	11	1	11	26	4	1	19	17	4	1	19	17	4
	20 ~ 29 歳	100.0	26.2	64.6	9.2	6	26	35	6	42.9	52.4	9	50.8	36.9	3	35.4	53.8	10.8	1	33.8	40.0	24.6	1	33.8	40.0	24.6
		65	17	42	6	6	26	35	6	42.9	52.4	6	38	24	2	23	35	7	1	22	26	16	1	22	26	16
	30 ~ 39 歳	100.0	33.3	63.5	3.2	1	27	38	3	40.8	54.9	14.3	66.7	19.0	1	23.8	65.1	11.1	1	28.6	54.0	17.5	1	28.6	54.0	17.5
		63	21	40	2	1	27	38	3	40.8	54.9	9	42	12	1	15	41	7	1	18	34	11	1	18	34	11
*性別×年齢	40 ~ 49 歳	100.0	42.3	56.3	1.4	1	29	39	3	40.8	54.9	25.4	62.0	12.7	1	33.8	59.2	7.0	1	40.8	38.0	21.1	1	40.8	38.0	21.1
		71	30	40	1	1	29	39	3	40.8	54.9	18	44	9	1	24	42	5	1	29	27	15	1	29	27	15
	50 ~ 59 歳	100.0	42.7	53.3	4.0	1	38.7	57.3	4.0	38.7	57.3	33.3	49.3	17.3	1	24.0	53.3	22.7	1	50.7	32.0	17.3	1	50.7	32.0	17.3
		75	32	40	3	1	29	43	3	34.0	63.8	25	37	13	1	18	40	17	1	38	24	13	1	38	24	13
	60 ~ 69 歳	100.0	34.0	66.0	1	1	34.0	63.8	2	34.0	63.8	19.1	68.1	12.8	1	23.4	55.3	19.1	2	36.2	55.3	8.5	1	36.2	55.3	8.5
		47	16	31	1	1	16	30	1	34.0	63.8	9	32	6	1	11	26	9	2	17	26	4	1	17	26	4

*** 生活の安全と治安の維持に関する調査 ***

問 9 アメリカ同時多発テロ後にとった行動

	TOTAL	問9(1)生命保険に新規加入または増額した		問9(2)傷害保険に新規加入または増額した		問9(3)警備会社と契約した		問9(4)外国旅行を控えた	
		した	ない	した	ない	した	ない	した	ない
TOTAL	100.0	2.3	97.7	1.7	98.3	0.2	99.7	33.7	66.1
	652	15	637	11	641	1	650	259	392
性別	100.0	1.8	98.2	1.2	98.8	-	100.0	30.5	69.5
男	331	6	325	4	327	-	331	101	230
女	100.0	2.8	97.2	2.2	97.8	0.3	99.4	49.2	50.5
	321	9	312	7	314	1	319	158	162
年齢	20 ～ 29 歳	100.0	4.5	95.5	0.8	99.2	-	37.9	62.1
		132	6	126	1	131	-	50	82
	30 ～ 39 歳	100.0	2.2	97.8	-	100.0	-	41.0	59.0
		139	3	136	-	139	-	57	82
	40 ～ 49 歳	100.0	2.0	98.0	2.0	98.0	-	33.4	66.6
		151	3	148	3	148	-	58	93
年齢	50 ～ 59 歳	100.0	-	100.0	2.1	97.9	0.7	40.1	59.9
		142	-	142	3	139	1	57	85
年齢	60 ～ 69 歳	100.0	3.4	96.6	4.5	95.5	-	42.0	58.0
		88	3	85	4	84	-	37	50
性別×年齢	男性 20 ～ 29 歳	100.0	3.0	97.0	-	100.0	-	26.9	73.1
		67	2	65	-	67	-	18	49
	男性 30 ～ 39 歳	100.0	1.3	98.7	-	100.0	-	34.2	65.8
		76	1	75	-	76	-	26	50
	男性 40 ～ 49 歳	100.0	-	100.0	-	100.0	-	35.0	65.0
		80	-	80	-	80	-	28	52
	男性 50 ～ 59 歳	100.0	-	100.0	1.5	98.5	-	23.4	76.6
		67	-	67	1	66	-	19	48
	男性 60 ～ 69 歳	100.0	7.3	92.7	7.3	92.7	-	24.4	75.6
		41	3	38	3	38	-	10	31
	女性 20 ～ 29 歳	100.0	6.2	93.8	1.5	98.5	-	49.2	50.8
		65	4	61	1	64	-	32	33
性別×年齢	女性 30 ～ 39 歳	100.0	3.2	96.8	-	100.0	-	49.2	50.8
		63	2	61	-	63	-	31	32
	女性 40 ～ 49 歳	100.0	4.2	95.8	4.2	95.8	-	42.3	57.7
		71	3	68	3	68	-	30	41
	女性 50 ～ 59 歳	100.0	-	100.0	2.7	97.3	1.3	50.7	49.3
		75	-	75	2	73	1	38	37
性別×年齢	女性 60 ～ 69 歳	100.0	-	100.0	2.1	97.9	-	57.4	40.4
		47	-	47	1	46	-	27	19